

VI. *Observationes Cælestes* Britannicæ, Grenovici in
Observatorio Regio, a JOHANNE FLAM-
 STEEDIO, AST. REG. habitæ,
 Annis MDCCXI & MDCCXII.

Observationes SATURNI.			
Temp. per Horolog.	Tempora correcta.	Die Veneris Januarij 5. 1711.	Distantiæ a Vertice.
10. 14. 26	10. 14. 41	Calx Castoris μ II transiit	28. 50. 10
11. 11. 38	11. 11. 53	In Inguine Pollucis, δ transf.	28. 59. 00
12. 4. 45	12. 5. 00	Saturnus transiit ———	30. 23. 20
		Ascensio recta h 119.01.00	
		Dist. a Polo Bor. 68.55.20	
Die Solis Januarij 7.			
11. 2. 53	11. 0. 31	Geminorum δ transiit ———	28. 59. 20
11. 50. 36	11. 48. 14	In pede Bor. ϵ μ transiit ———	29. 5. 20
11. 55. 22	11. 53. 00	Saturnus transiit ———	30. 21. 50
12. 15. 41	12. 13. 19	Canceri μ Bayero transiit ———	30. 4. 30
12. 26. 18	12. 23. 56	Canceri γ , Afellus Bor. transf.	28. 59. 50
		Ascensio Rect h 118.52.00	
		Dist. a Polo Bor. 68.53.50	
Die Luna, Januarij 8.			
10. 58. 35	10. 57. 49	Geminorum δ transiit. ———	28. 59. 15
11. 50. 46	11. 50. 00	Saturnus transiit ———	30. 20. 35
12. 11. 25	12. 10. 30	Canceri μ transiit ———	30. 4. 25
		Ascensio Rect. h 118.46.30	
		Dist. a Polo Bor. 68.52.35	

K

Die

Temp. per Horolog.	Tempera correcta	Die Jovis, Januarij 25. 1711.	Distantia a Vertice.
9. 45. 53	9. 46. 26	Geminorum δ transit —	28. 59. 10
10. 32. 27	10. 33. 00	Saturnus transit —	30. 4. 00
11. 10. 54	11. 11. 27	Canceri α , Afellus Aufst. transit	32. 17. 50
		Ascensio Rect. $\hbar$ 117.23.00	
		Dist. a Polo Bor. 68.36.00	
Die Saturni, Januarij 25.			
9. 37. 25	9. 38. 2	Geminorum δ transit —	28. 59. 20
10. 13. 11	10. 13. 48	Sub latere Pollucis ι transit	30. 51. 50
10. 23. 23	10. 24. 00	Saturnus transit —	30. 2. 30
10. 40. 59	10. 41. 36	Post Caudam ϵ d transit	32. 14. 10
10. 50. 16	10. 50. 53	Canceri μ transit —	30. 4. 35
		Ascensio Rect. $\hbar$ 117.14.00	
		Dist. a Polo Bor. 68.34.30	
Die Martis, Januarij 30.			
9. 29. 45	9. 26. 55	Geminorum δ transit —	28. 59. 40
10. 14. 50	10. 12. 00	Saturnus transit —	30. 0. 00
10. 33. 20	10. 30. 30	Canceri d transit —	32. 14. 10
10. 42. 35	10. 39. 45	Canceri μ transit —	30. 4. 45
		Ascensio Rect. $\hbar$ 117.00.30	
		Dist. a Polo Bor. 68.32.00	
Die Mercurij, Feb. 28.			
8. 18. 32	8. 15. 00	Saturnus transit —	29. 43. 00
8. 27. 11	8. 23. 39	In Boreo pede Canceri μ tran.	29. 5. 40
9. 2. 50	8. 59. 18	Afellus Boreus Canceri γ tran.	29. 0. 20
10. 39. 59	10. 36. 27	Lucida Colli Leonis γ tranf.	30. 12. 05
		Ascensio Rect. $\hbar$ 115.31.30	
		Dist. a Polo Bor. 68.15.00	

Temp. per Horolog.	Tempora correcta.	Die Jovis, Mart. 1. 17 II.	Distantia Veneris
8. 14. 5	8. 11. 00	Saturnus transiit ———	29. 42. 50
8. 22. 47	8. 19. 42	Canceri μ transiit ———	29. 5. 35
8. 58. 28	8. 55. 23	Afellus Boreus transiit ———	29. 0. 15
10. 35. 36	10. 32. 31	Lucida Colli Leonis transiit	30. 12. 00
		Ascensio Rect. $\hbar$ 115.30.30	
		Dist. a Polo Bor. 68.14.50	
Die Veneris, Nov. 9.			
17. 21. 12	17. 21. 23	Sequens ad π Canceri transiit	35. 21. 10
17. 29. 49	17. 30. 00	Saturnus transiit ———	34. 9. 50
18. 13. 25	18. 13. 36	Austrina Colli Leonis transiit	33. 18. 50
		Ascensio Rect. $\hbar$ 136.58.00	
		Dist. a Polo Bor. 72.42.00	
Die Lunae, Nov. 19.			
16. 46. 20	16. 41. 00	Saturnus transiit ———	34. 8. 00
16. 59. 31	16. 54. 11	Telescopica α transiit ———	33. 45. 30
17. 29. 59	17. 24. 33	Austrina Colli Leonis transiit	33. 18. 30
		Ascensio Rect. $\hbar$ 136.58.30	
		Dist. a Polo Bor. 72.40.05	
Die Jovis, Nov. 22.			
16. 24. 36	16. 19. 30	Canceri sequens ad π transiit	35. 21. 30
33. 06	16. 28. 00	Saturnus transiit ———	34. 6. 50
46. 27	16. 41. 21	Telescopica dicta transiit ———	33. 45. 10
17. 16. 51	17. 11. 45	Austrina Colli Leonis transiit	33. 18. 30
		Ascensio Rect. $\hbar$ 136.55.45	
		Dist. a Polo Bor. 72.39.00	

Temp. per Horolog.	Tempora correcta.	Die Solis, Decembris 30. 1711.	Distantia a Vertice.
11. 9. 43	10. 52. 42	Lucidus pes Π γ transit —	34. 51. 30
13. 29. 25	13. 12. 24	Canceri præced ad $\circ$ transit	35. 4. 00
13. 49. 01	13. 32. 00	Saturnus transit —	33. 30. 00
14. 39. 50	14. 22. 49	Lucida Colli Leonis transit	33. 18. 40
		Ascensio Rect. δ 135.10.00	
		Dist. a Polo Bor. 72. 2. 5	

A N N O MDCCXII.

Die Saturni, Januarij 12.

11. 39. 52	11. 33. 06	Ad caudam Canceri ζ transit	32. 59. 10
12. 40. 46	12. 34. 00	Saturnus transit —	33. 12. 00
12. 43. 16	12. 36. 30	Canceri sequens ad π transit	35. 22. 20
13. 36. 44	13. 29. 58	Cor Leonis transit —	38. 6. 55
		Ascensio Rect. δ 134.12.00	
		Dist. a Polo Bor. 71.44.00	

Die Saturni, Jan. 19.

11. 45. 31	11. 36. 55	Afellus Austrinus transit —	32. 17. 10
11. 58. 14	49. 38	Austrina ad $\circ$ Canceri transit	35. 3. 50
12. 11. 36	12. 3. 00	Saturnus transit —	33. 2. 5
12. 20. 00	11. 24	Telescopica b transit —	32. 33. 20
		Ascensio Rect. δ 133.37.00	
		Dist. a Polo Bor. 71.34.10	

Die Solis, Jan. 27.

10. 57. 50	11. 4. 31	Afellus Austrinus transit —	32. 17. 10
11. 10. 54	11. 17. 35	Borea ad $\circ$ Canceri transit	34. 48. 10.
11. 21. 19	12. 28. 00	Saturnus transit —	32. 50. 20
11. 32. 20	39. 01	Telescopica b transit	32. 33. 25
		Ascensio Rect. δ 132.58.00	
		Dist. a Polo Bor. 71.22.20	

Temp. per Horolog.	Tempora correcta.	Die Luna, Martii 31. 1712.	Distantia a Vertice.
7. 8. 46	7. 7. 41	Astellus Austrinus transit	32. 16. 50
7. 20. 35	7. 19. 30	Saturnus transit ———	32. 03. 30
7. 36. 50	7. 35. 45	Cancrī præced. ad π transit	35. 19. 10
7. 39. 36	7. 38. 31	Sequens ad π transit ———	35. 21. 20
8. 31. 51	8. 30. 46	Austrina colli Leonis trans.	33. 18. 40
		Ascensio recta $\hbar$ 130.02.00	
		Dist. a Polo Bor. 70.35.30	
Die Veneris, Novemb. 7.			
18. 17. 13	18. 22. 00	Saturnus transit ———	37. 57. 30
18. 26. 13	18. 31. 00	Leonis 40 <i>Catal. Brit.</i> trans.	41. 14. 10
18. 28. 35	18. 33. 22	Ejusdem 41 transit ———	40. 15. 20
		Ascensio Rect. $\hbar$ 150.15.30	
		Dist. a Polo Bor. 76.29.40	
Die Luna, Nov. 17.			
17. 33. 19	17. 34. 59	Cor Leonis transit ———	38. 7. 20
17. 42. 20	17. 44. 00	Saturnus transit ———	38. 00. 50
17. 57. 48	17. 59. 28	In Axilla Leonis s transit	40. 41. 45
18. 14. 19	18. 15. 59	In ventre Leonis / transit —	39. 24. 50
		Ascensio Rect. $\hbar$ 150.31.00	
		Dist. a Polo Bor. 76.33.00	

Observationes JOVIS.

Anno MDCCXI.

Temp. per Horolog.	Tempora correcta.	Die Saturni, Maij 26. 1711.	Distantia a Vertice.
12. 44. 28	12. 39. 44	Serpentarij 58 <i>Cat.Br.</i> transi.	76. 12. 00
52. 40	47. 56	Sagittarij Nebulosæ <i>a</i> transi.	75. 39. 20
13. 8. 44	13. 4. 00	Jupiter transiit ———	74. 37. 00
15. 43	10. 59	Sagittarij 11 transiit ———	72. 5. 20
		Ascensio Rect. $\approx$ 270.19.00	
		Dist. a Polo Bor. 113.11.50	
Die Solis, Maij. 27.			
10. 47. 24	10. 43. 2	Media frontis η , δ transi. —	73. 12. 00
12. 57. 46	53. 24	Telescopica c Jovem præced.	75. 7. 50
13. 4. 22	13. 00. 00	Jupiter transiit ———	74. 36. 50
11. 53	7. 3	Sagittarij 11 transiit ———	72. 5. 20
		Ascensio Rect. $\approx$ 270.11.00	
		Dist. a Polo Bor. 113.11.40	
Die Solis Junij 3.			
10. 15. 41	10. 10. 45	Media frontis Scorpj transi.	73. 12. 5
12. 14. 11	12. 9. 15	Nebulosæ Sagittarij <i>b</i> transi.	75. 10. 20
12. 17. 09	12. 12. 13	Ejusdem Nebulosæ <i>a</i> transi.	75. 30. 30
12. 28. 56	12. 24. 00	Jupiter transiit ———	74. 38. 00
13. 8. 36	13. 03. 40	Sagit. in Oculo præced. transi.	74. 29. 15
		Ascensio Rect. $\approx$ 269.15.00	
		Dist. a Polo Bor. 113.12.50	

Temp. per Horolog.	Tempora correcta.	Die Luna, June 4. 1711.	Distantia a Vertice.
10. 11. 51	10. 7. 19	Media frontis Scorpij transit	73. 12. 00
12. 10. 18	12. 5. 46	Nebulosæ Sagittarij <i>b</i> transit	75. 10. 20
12. 24. 32	12. 20. 00	Jupiter transit ———	74. 38. 10
13. 4. 45	13. 0. 13	Præced ad ν Sagittarij trans.	74. 29. 10
13. 5. 41	13. 1. 09	Sequens ad ν transit ———	74. 24. 50
		Ascensio Rect. γ 269 07.00	
		Dist. a Polo Bor. 113.13.00	
Die Saturni, Junij 9.			
9. 52. 16	9. 49. 5	Media frontis Scorpij transit	73. 11. 55
11. 50. 44	11. 47. 33	Nebulosæ <i>b</i> transit ———	75. 10. 15
12. 2. 11	11. 59. 00	Jupiter transit ———	74. 38. 25
12. 45. 8	12. 41. 57	Præced. ad ν Sagittarij trans.	74. 29. 10
		Ascensio Rect. γ 268.25.00	
		Dist. a Polo Bor. 113.13.15	
Die Solis, Junij 10.			
9. 48. 22	9. 44. 38	Media frontis Scorpij transit	73. 12. 00
11. 46. 51	11. 43. 07	Nebulosæ <i>b</i> transit ———	75. 10. 15
11. 57. 44	11. 54. 0	Jupiter transit ———	74. 38. 35
12. 41. 14	12. 37. 30	Præcedens ad ν Sagitt. trans.	74. 29. 15
		Ascensio Rect. γ 268.16.45	
		Dist. a Polo Bor. 113.13.25	
Die Saturni, Julij 14.			
8. 58. 10	8. 50. 4	Serpentarij 48, C transit ———	75. 7. 20
9. 10. 32	9. 2. 26	Ejusdem 54 sive D transit	72. 56. 00
9. 21. 6	9. 13. 00	Jupiter transit ———	74. 37. 50
9. 40. 49	9. 32. 43	Sagittarij in arcu μ transit	72. 31. 30
		Ascensio Rect. γ 264.12.30	
		Dist. a Polo Bor. 113.12.40	

Temp. per Horolog.	Tempora correcta.	Die Solis. Julij 15. 1711.	Distantia a Vertice
8. 54. 8	8. 46. 24	Serpentarij C transit —	75. 7. 20
9. 6. 28	8. 58. 44	Serpentarij D transit —	72. 56. 00
9. 16. 40	9. 9. 00	Jupiter transit —	74. 37. 50
9. 36. 40	9. 29. 2	Sagittarij μ transit —	72. 31. 35
		Ascensio Rect. γ 264.07.45	
		Dist. a Polo Bor. 113.12.40	

A N N O MDCCXII.

Die Jovis, Julij 3.

12. 36. 3	12. 25. 14	Capric. sub Oculo σ transit	71. 24. 40
12. 44. 6	12. 33. 17	Capric. in rostro π transit	70. 33. 00
12. 45. 42	12. 34. 53	Capricorni ϵ transit —	70. 09. 50
12. 57. 49	12. 47. 00	Jupiter transit —	71. 26. 20
13. 16. 24	13. 5. 35	Capric. 20 <i>Catal. Brit.</i> transf.	71. 33. 10
		Ascensio Rect. γ 306.09.20	
		Dist. a Polo Bor. 110. 0.30	

Die Martis, Julij 15.

11. 39. 34	11. 39. 33	Capricorni σ transit —	71. 24. 45
55. —	11. 55. 00	Jupiter transit —	71. 49. 20
12. 19. 53	12. 19. 52	Capricorni 20 transit —	71. 33. 10
24. 38	12. 24. 57	ν in medio corpore π tr.	72. 23. 25
		Ascensio Rect. γ 304.34.35	
		Dist. a Polo Bor. 110.23.30	

Die Mercurij, Sept. 17.

7. 32. 37	7. 31. 56	Telefc. Jovem præced. transf.	72. 49. 40
7. 38. 41	7. 38. 00	Jupiter transit —	72. 51. 10
7. 42. 28	7. 41. 37	Telefc. Jovem sequens transf.	73. 14. 40
		Ascensio Rect. γ 299.43.00	
		Dist. a Polo Bor. 111.25.30	

Temp. per Horolog:	Tempora correcta.	Die Veneris, Septembris 19. 1712.	Distantia a Vertice.
7. 30. 55	7. 32. 00	Jupiter transiit ———	72. 50. 45
8. 19. 47	8. 20. 52	Capricorni " transiit ———	72. 23. 40
		Ascensio Rect. ♄ 299.45.00	
		Dist. a Polo Bor. 111.25.05	

Die Lunæ, Octobris 6.

6. 25. 35	6. 31. 30	Jupiter transit	72. 39. 50
6. 36. 22	6. 42. 17	Capricorni in rostro • trans.	70. 56. 25
6. 46. 36	6. 52. 31	Capricorni in Cercice • trans.	70. 33. 30
		Ascensio Rect. ♄ 300.39.00	
		Dist. a Polo Bor. IIII.14.10	

Observationes MARTIS.

Anno MDCCXI.

Die Solis Jan. 7.

12. 40. 35	12. 38. 56	Canceri Aust. ad ☉ transiit	35. 04. 00
12. 40. 56	12. 39. 17	Canceri Bor. ad ☉ transiit	34. 48. 00
12. 58. 45	12. 57. 6	Canceri sequens ad ☿ transiit	35. 21. 20
13. 27. 15	13. 25. 36	Leonis ♄ transiit	36. 8. 50
13. 50. 52	13. 49. 13	Austrina Colli Leonis ♄ transiit	33. 19. 00
14. 00. 39	13. 59. 00	Mars transiit	34. 51. 30
14. 30. 14	14. 28. 35	Borea Ventris ♄, k transiit	35. 45. 40
		Ascensio Rect. δ 150. 20. 00	
		Dist. a Polo Bor. 73. 23. 35	

Temp. per Horolog.	Tempora correcta.	Die Saturni, Januarij 27. 1711.	Distancia a Vertice.
10. 40. 59	10. 41. 30	Cancrī 20, prima ad d transit	32. 14. 10
10. 50. 16	10. 50. 47	Cancrī " transit ———	30. 4. 35
12. 8. 29	12. 9. 00	Mars transit ———	32. 14. 00
12. 25. 27	12. 25. 58	Austrina colli Leonis " transit	33. 19. 00
12. 37. 59	12. 38. 30	Lucida colli Leonis γ transit	30. 11. 50
		Ascensio recta δ 143.37.00	
		Dist. a Polo Bor. 70.36.00	
Die Lunæ, Januarij 29.			
12. 1. 50	11. 59. 00	Mars transit ———	31. 58. 50
12. 21. 58	12. 19. 08	Leonis " transit ———	33. 19. 05
12. 34. 31	12. 31. 41	Lucida colli Leonis γ transit	30. 11. 50
		Ascensio Rect. δ 142.49.30	
		Dist. a Polo Bor. 70.30.50	
Die Martis, Jan. 30.			
10. 33. 30	10. 30. 25	Cancrī 20, prima ad d transit	32. 14. 10
10. 42. 35	10. 39. 30	Cancrī " transit ———	30. 4. 45
11. 56. 5	11. 53. 00	Mars transit ———	31. 51. 35
12. 17. 40	12. 14. 44	Leonis " transit ———	33. 19. 5
12. 30. 20	12. 27. 15	Leonis γ transit ———	30. 11. 50
		Ascensio Rect. δ 142.25.00	
		Dist. a Polo Bor. 70.23.35	
Die Mercurij, Feb. 28.			
8. 27. 11	8. 23. 58	In pede Bor. Cancrī " transit	29. 5. 40
9. 2. 50	8. 59. 37	Acellus Boreus γ transit —	29. 00. 20
9. 31. 13	9. 28. 00	Mars transit ———	30. 5. 10
10. 27. 28	10. 24. 15	Leonis " transit ———	33. 19. 55
10. 39. 39	10. 36. 26	Leonis γ transit ———	30. 12. 5
		Ascensio Rect. δ 133.45.00	
		Dist. a Polo Bor. 68.37.10	

Temp. per Horolog.	Tempora correcta.	Die Jovis, Martij 1. 1711.	Distantia a Vertice.
8. 22. 47	8. 19. 27	Canceri μ transit ———	29. 5. 35
8. 58. 28	8. 55. 8	Arcellus Boreus transit ———	29. 00. 35
9. 26. 20	9. 23. 00	Mars transit ———	30. 6. 20
10. 23. 04	10. 19. 44	Leonis π transit ———	33. 19. 50
10. 35. 36	10. 32. 16	Lucida colli Leonis transf. —	30. 12. 00
		Ascensio Rect. δ 133. 37. 3	
		Dist. a Polo Bor. 68. 28. 20	

A N N O MDCCXII.

Die Lunæ, Novemb. 17.

18. 21. 7	18. 19. 52	Leonis 55 <i>Caval. Brit.</i> transf.	43. 45. 40
18. 25. 53	18. 24. 38	sub Ventre Leonis ϵ transf.	43. 49. 40
18. 30. 14	18. 28. 59	Leonis χ transit ———	42. 35. 10
18. 43. 15	8. 42. 00	Mars transit ———	43. 7. 25
		Ascensio Rect. δ 165. 48. 00	
		Dist. a Polo Bor. 81. 39. 45	

Die Jovis, Novemb. 20.

18. 13. 8	18. 6. 40	Leonis 55 transit ———	43. 45. 40
18. 17. 54	18. 11. 25	Leonis 58, ϵ transit ———	43. 49. 50
18. 22. 14	18. 15. 46	Leonis χ transit ———	42. 35. 15
18. 38. 18	18. 31. 50	In Poplite Leonis σ transit	43. 52. 10
18. 40. 28	18. 34. 00	Mars transit ———	43. 36. 55
		Ascensio Rect. δ 167. 6. 30	
		Dist. a Polo Bor. 82. 9. 15	

*Observationes SOLIS,**Anno MDCCXI.*

	Distantia a Vertice.
Die Saturni, Januarij 6. Solis centro per planum Arcus Meridionalis transeunte, limbus ejus remotus & Austrinus distabat a Vertice —————	72. 31. 10
Die Veneris, Januarij 26. Solis Meridiani limbus proximus a Vertice ———	66. 35. 10
Die Martis, Januarij 30. Solis limbus proximus a Vertice ———	65. 38. 40
Die Lunæ, Junij 4. Solis limbus remotus, &c. —————	28. 24. 18
Die Saturni, Julij 14. Solis limbus remotus —————	31. 55. 20
Die Martis, Novembris 20. Solis limbus remotus —————	73. 30. 40
Die Martis, Decembris 4. Solis limbus remotus a Vertice —————	74. 59. 30

Anno MDCCXII.

Die Mercurij, Januarij 2. Solis limbus remotus a Vertice ———	73. 17. 30
Die Saturni, Januarij 12. Solis limbus remotus —————	71. 18. 00
Die Veneris, Martij 7. Solis limbus remotus —————	52. 31. 00
Die Veneris, Maij 9. Solis limbus remotus —————	31. 40. 50
Die Martis, Octobris 7. Solis limbus remotus a Vertice —————	61. 29. 50

Obfer-

Observationes LUNÆ.

Anno MDCCXI.

Temp. per Perolog.	Tempora correcta.	Die Saturni, Maij 19. 1711.	Distantia a Vertice.
10. 22. 12	10. 18. 32	Scorpij γ five Libræ 15 tran.	75. 32. 50
10. 50. 55	10. 47. 15	» Limbus tran.centro a Vert.	75. 38. 40
10. 52. 10	10. 48. 30	» centrum transiit, proximo	75. 22. 00
11. 8. 30	11. 4. 50	Scorpij δ transiit ———	76. 15. 20
11. 11. 10	11. 7. 30	Scorpij A transiit ———	75. 50. 55
		Ascensio Rect. » 229.18.30	
		Dist. a Polo Bor. 114.13.40	

Die Lunæ, Novemb. 19.			
16. 41. 28	16. 36. 8	Lunæ centrum trans.remoto	37. 6. 30
17. 42. 16	16. 36. 56	Lunæ limbus transiit,centro	36. 52. 30
16. 46. 20	16. 41. 00	Saturnus transiit ———	34. 8. 00
16. 59. 31	16. 54. 11	Stella Telescopica α transiit	33. 45. 30
17. 29. 53	17. 24. 33	Austr. Colli Leonis η transf.	33. 18. 30
		Ascensio Rect. » 135.41.40	
		Dist. a Polo Bor. 75.23.20	

A N N O MDCCXII.			
Temp. per Horolog.	Tempora correcta.	Die Saturni, Januarij 12. 1712.	Distantia a Vertice.
7. 40. 50	7. 34. 00	Medium Eclipsis Lunariss, quo tempore Chorda par- tis in Luna deficientis erat 24. 30 ; maximus autem defectus 8. 30 a parte Bo- rea. Lunæ Diam. 30. 48.	
11. 39. 52	11. 33. 6	Canceri ζ Bayero transit —	32. 59. 10
12. 13. 46	12. 7. 00	» centrum transit, remoto	34. 14. 10
40. 46	12. 34. 00	Saturnus transit — —	33. 12. 00
43. 16	12. 36. 30	Canceri sequens ad π transit	35. 22. 20
13. 36. 44	13. 29. 58	Cor Leonis transit — —	38. 6. 55
		Ascensio Rect. $\triangleright$ 127. 25. 30	
		Dist. a Polo Bor. 72. 31. 00	
Die Jovis, Martij 6.			
7. 39. 8	7. 38. 8	Π 80 Catal. Brit. transit —	30. 29. 30
7. 49. 42	7. 48. 42	Geminorum 86 l transit —	30. 51. 45
7. 54. 45	7. 53. 45	Lunæ limbus transit, centro	30. 50. 40
7. 55. 48	7. 54. 48	» centrum transit, proximo	30. 35. 30
8. 1. 41	8. 0. 41	Nona Canceri μ transit —	29. 4. 45
		Ascensio Rect. $\triangleright$ 116. 14. 40	
		Dist. a Polo Bor. 69. 22. 50	
Die Mercurij, Maij 7.			
9. 47. 38	9. 46. 2	Virginis 70 Catal. Brit. transit	66. 9. 50
9. 48. 48	9. 47. 12	Virginis 71 transit — —	65. 45. 30
9. 52. 51	9. 51. 15	Ejisdem 75 transit — —	68. 7. 40
10. 9. 36	10. 8. 0	Lunæ limbus trans. centro	69. 12. 30
10. 10. 43	10. 9. 7	Lunæ centrum trans. remoto	69. 28. 35
		Ascensio Rect. $\triangleright$ 208. 4. 30	
		Dist. a Polo Bor. 107. 45. 50	

Temp. per Horolog.	Tempora correcta.	Die Jovis, Maij 8. 1712.	Distantia a Vertice.
10. 52. 2	10. 50. 00	Libræ 8 <i>Catal. Brit.</i> transiit	74. 51. 50
11. 1. 35	10. 59. 33	Scorpij γ sive Libræ 15 tran.	75. 32. 30
11. 8. 2	11. 6. 00	Lunæ limbus transiit, centro	73. 42. 30
11. 09. 16	11. 7. 14	Lunæ centrum trans. remoto	73. 58. 20
11. 50. 33	11. 48. 31	Scorpij A transiit ———	75. 51. 10
11. 57. 34	11. 55. 32	Media frontis m δ transiit —	73. 12. 10
		Ascensio recta γ 223.45.00	
		Dist. a Polo Bor. 112.16.10	
Die Saturni, Maij 10.			
12. 18. 05	12. 16. 30	Cor Scorpij <i>Antares</i> transiit	77. 10. 00
13. 3. 48	13. 2. 13	Serpentarij A transiit ———	77. 32. 50
13. 18. 13	13. 16. 38	Lunæ centrum trans. remoto	78. 1. 30
13. 19. 30	13. 17. 55	Lunæ limbus transiit, centro	77. 46. 05
13. 35. 25	13. 33. 50	Prima Sagittarij p transiit —	79. 4. 20
14. 16. 8	14. 14. 33	Sagittarij λ transiit ———	76. 57. 00
		Ascensio Rect. γ 258.03.20	
		Dist. a Polo Bor. 116.20.15	

In Exemplari Observationum Anni 1712, a *D. Flamsteedio* ad Regiam Societatem missa, Observatoris nomen in titulo erasum esse videtur; & ipso sic præcipiente, ad calcem subscripta sunt hæc verba.

Obs. & Transcripsit Jos. Crosthwaite.